



Meter Sockets and Multi-Metering Equipment Approved by the NES Meter Department

Contents

Cutler-Hammer Approved Meter Sockets (pg 1 of 1)	2
The Durham Company Approved Meter Sockets (pg 1 of 1)	3
Eaton Approved Multi-Metering Equipment (pg 1 of 3)	4
General Electric Approved Multi-Metering Equipment (pg 1 of 3)	7
Landis-Gyr Approved Meter Sockets (pg 1 of 1)	10
Midwest Electric Products Approved Meter Sockets (pg 1 of 1).....	11
Milbank Approved Meter Sockets (pg 1 of 1)	12
Murray Approved Meter Sockets (pg 1 of 1)	13
Murray Approved Multi-Metering Equipment (pg 1 of 2)	14
Siemens Approved Meter Sockets (pg 1 of 1).....	16
Siemens Approved Multi-Metering Equipment (pg 1 of 3).....	17
Square D Approved Meter Sockets (pg 1 of 1)	20
Square D Approved Multi-Metering Equipment (pg 1 of 3)	21

Cutler-Hammer Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL (Field installable fifth terminal kit is catalog number ARP00035)	Catalog Number
100/125A overhead/underground	URT-RS101 (*)-CH
200A overhead	URT-RS202 (*)-CH or URT-RS213 (*)-CH
200A underground	URT-RS223A-CH
SINGLE POSITION RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors	UBT-H4300 (*)-CH
320A, overhead/underground, lever bypass with stud connectors (offset design)	UBT-H4330 (*)-CH
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	UBT-H4336-9 (*)-CH
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	UBT-H5213(*)-CH
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	UBT-H7213(*)-CH
200A, underground, 5-terminal lever bypass with stud connectors (offset design)	UBT-H5230A(*)-CH
200A, underground, 7-terminal lever bypass with stud connectors (offset design)	UBT-H7230A(*)-CH
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	1008695A-CH
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	1008694A-CH
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 100A per position	Catalog Number
Underground only 2 position	URT-2R1121(*)-CH
Overhead/underground 3 position	URT-3R1121(*)-CH
Overhead/underground 4 position	URT-4R1121(*)-CH
Overhead/underground 5 position	URT-5R1121(*)-CH
Overhead/underground 6 position	URT-6R1131(*)-CH
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
Underground only 2 position	URT-2R2332(*)-CH
Overhead/underground 3 position	URT-3R2332(*)-CH
Overhead/underground 4 position	URT-4R2352(*)-CH
Overhead/underground 5 position	URT-5R2392(*)-CH
Overhead/underground 6 position	URT-6R2392(*)-CH

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX	HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

The Durham Company Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL (Field installable fifth terminal kit is catalog number ARP00035)	Catalog Number
100/125A overhead/underground	URT-RS101 (*)
200A overhead	URT-RS202 (*) or URT-RS213 (*)
200A underground	URT-RS223A
SINGLE POSITION RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors	UBT-H4300 (*)
320A, overhead/underground, lever bypass with stud connectors (offset design)	UBT-H4330 (*)
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	UBT-H4336-9 (*)
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	UBT-H5213(*)
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	UBT-H7213(*)
200A, underground, 5-terminal lever bypass with stud connectors (offset design)	UBT-H5230A(*)
200A, underground, 7-terminal lever bypass with stud connectors (offset design)	UBT-H7230A(*)
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	1008695A
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	1008694A
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 100A per position	Catalog Number
Underground only 2 position	URT-2R1121(*)
Overhead/underground 3 position	URT-3R1121(*)
Overhead/underground 4 position	URT-4R1121(*)
Overhead/underground 5 position	URT-5R1121(*)
Overhead/underground 6 position	URT-6R1131(*)
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
Underground only 2 position	URT-2R2332(*)
Overhead/underground 3 position	URT-3R2332(*)
Overhead/underground 4 position	URT-4R2352(*)
Overhead/underground 5 position	URT-5R2392(*)
Overhead/underground 6 position	URT-6R2392(*)

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX	HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

Eaton Approved Multi-Metering Equipment (pg 1 of 3)

MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
125A max circuit breaker, 2-position 200A main lug	1MP2122R
125A max circuit breaker, 3-position 300A main lug	1MP3124R
125A max circuit breaker, 4-position 400A main lug	1MP4124R
125A max circuit breaker, 5-position 500A main lug	1MP5126R
125A max circuit breaker, 6-position 600A main lug	1MP6126R
MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
200A max circuit breaker, 2-position 400A main lug	1MP2204R
200A max circuit breaker, 3-position 400A main lug	1MP3206R
200A max circuit breaker, 4-position 600A main lug	1MP4206R
200A max circuit breaker, 5-position 800A main lug	1MP5206R
200A max circuit breaker, 6-position 800A main lug	1MP6206R
METER MOD III – NEMA 1/3R COMMERCIAL METERING, SINGLE PHASE Main Breaker (BC indicates top feed)	Catalog Number
400A main breaker	1MCB400R
600A main breaker	1MCB600R
800A main breaker	1MCB800R
1000A main breaker	1MCB1000R
1200A main breaker	1MCB1200R
1400A main breaker	1MCB1400RBC
1600A main breaker	1MCB1600RBC
2000A main breaker	1MCB2000RBC
METER MOD III – NEMA 1/3R COMMERCIAL METERING, SINGLE PHASE Fusible Switch	Catalog Number
400A main fusible switch	1MFS400B
600A main fusible switch	1MFS600RB
800A main fusible switch	1MFS800RB
1200A main fusible switch (* Replace "T" with "B" to indicate Top Feed)	1MFS1200RB
METER MOD III – NEMA 1/3R COMMERCIAL METERING, SINGLE PHASE Lug Terminal Box	Catalog Number
400A main lug terminal box	3MTB400R
600A main lug terminal box	3MTB600R
800A main lug terminal box	1MTB800R
1600A main lug terminal box	1MTB1600RBC
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker	Catalog Number
3-position 800A bus-4 jaw	1MM312R
4-position 800A bus-4 jaw	1MM412R
5-position 800A bus-4 jaw	1MM512R
6-position 800A bus-4 jaw	1MM612R
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing ring-type, 225A max circuit breaker	Catalog Number
2-position 800A bus-4 jaw	3MM220R
3-position 800A bus-4 jaw	1MM320R
4-position 800A bus-4 jaw	1MM420R
5-position 1200A bus-4 jaw	1MM520R

Eaton Approved Multi-Metering Equipment (pg 2 of 3)

METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing , 125A max circuit breaker Commercial Ringless with lever bypass	Catalog Number
1-position 1200A bus-5 jaw	35MM120R12
2-position 1200A bus-5 jaw	35MM220R12
3-position 1200A bus-5 jaw	35MM320R12
4-position 1200A bus-5 jaw	35MM420R12
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing , 225A max circuit breaker Commercial Ringless with lever bypass	Catalog Number
1-position 1200A bus-5 jaw	35MM120R12
2-position 1200A bus-5 jaw	35MM220R12
3-position 1200A bus-5 jaw	35MM320R12
4-position 1200A bus-5 jaw	35MM420R12
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing , 400A max circuit breaker Commercial Ringless with lever bypass	Catalog Number
1-position 1200A bus-5 jaw	35MM140R1240
2-position 1200A bus-5 jaw	35MM240R1240
METER MOD III – THREE PHASE NEMA 1/3R Main Breaker	Catalog Number
400A main breaker	3MCB400R
600A main breaker	3MCB600R
800A main breaker	3MCB800R
1000A main breaker	3MCB1000R
1200A main breaker	3MCB1200R
1600A main breaker (* Replace "T" with "BC" to indicate Top Feed)	3MCB1600RBC*
2000A main breaker (* Replace "T" with "BC" to indicate Top Feed)	3MCB2000RBC *
METER MOD III – THREE PHASE NEMA 1/3R Main Fused Switch	Catalog Number
400A main fusible switch	3MFS400RB
600A main fusible switch	3MFS600RB
800A main fusible switch	3MFS800RB
1200A main fusible switch	3MFS1200RB
METER MOD III – THREE PHASE NEMA 1/3R Main Lug Section	Catalog Number
400A main lug terminal box	3MTB400R
600A main lug terminal box	3MTB600R
800A main lug terminal box	3MTB800R
1600A main lug terminal box	3MTB1600RC

Eaton Approved Multi-Metering Equipment (pg 3 of 3)

METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
3-gang 800A bus-5 jaw	3MM312R
4-gang 800A bus-5 jaw	3MM412R
5-gang 800A bus-5 jaw	3MM512R
6-gang 800A bus-5 jaw	3MM612R
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 1 phase outgoing ring-type 225A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
2-gang 800A bus-5 jaw	3MM220R
3-gang 800A bus-5 jaw	3MM320R
4-gang 800A bus-5 jaw	3MM420R
5-gang 800A bus-5 jaw	3MM520R
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 1 phase outgoing ring-type 400A max circuit breaker Commercial Ringless with lever bypass <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
1-gang 800A bus-5 jaw	35MM140R1240
2-gang 800A bus-5 jaw	35MM240R1240
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 3 phase outgoing ringless type with lever bypass	Catalog Number
225A max circuit breaker, 1-gang 1200A bus-7 jaw	37MM120R12
225A max circuit breaker, 2-gang 1200A bus-7 jaw	37MM220R12
225A max circuit breaker, 3-gang 1200A bus-7 jaw	37MM320R12
225A max circuit breaker, 4-gang 1200A bus-7 jaw	37MM420R12
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 3 phase outgoing ringless type with lever bypass	Catalog Number
400A max circuit breaker, 1-gang 1200A bus-7 jaw	37MM140R1240
400A max circuit breaker, 2-gang 1200A bus-7 jaw	37MM240R1240
ACCESSORIES	Catalog Number
Fifth Jaw Kit, Bused	1MM5JK
Barrel Lock Bracket and Lock	37MMBLK
TEB Breaker Mounting Kit	37MMCBK
Insulator for Lever By-Pass Handle	37MMHC

General Electric Approved Multi-Metering Equipment (pg 1 of 3)

MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
125A max circuit breaker, 2-position 200A main lug	TMM2212R
125A max circuit breaker, 3-position 300A main lug	TMM4312R
125A max circuit breaker, 4-position 400A main lug	TMM4412R
125A max circuit breaker, 5-position 500A main lug	TMM6512R
125A max circuit breaker, 6-position 600A main lug	TMM6612R
MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
200A max circuit breaker, 2-position 400A main lug	TMM4220R
200A max circuit breaker, 3-position 400A main lug	TMM6320R
200A max circuit breaker, 4-position 600A main lug	TMM6420R
200A max circuit breaker, 5-position 800A main lug	TMM6520R
200A max circuit breaker, 6-position 800A main lug	TMM6620R
METER MOD III – NEMA 1/3R COMMERCIAL METERING, SINGLE PHASE Main Breaker	Catalog Number
400A main breaker	TMP SB4R
600A main breaker	TMP SB6R
800A main breaker	TMP SB8R
1000A main breaker	TMP SB10R
1200A main breaker	TMP SB12R
1400A main breaker (<i>* Replace "T" with "BC" to indicate Top Feed</i>)	TMP SB14R *
1600A main breaker (<i>* Replace "T" with "BC" to indicate Top Feed</i>)	TMP BB16R *
2000A main breaker (<i>* Replace "T" with "BC" to indicate Top Feed</i>)	TMP BB20R *
METER MOD III – NEMA 1/3R COMMERCIAL METERING, SINGLE PHASE Fusible Switch	Catalog Number
400A main fusible switch (<i>* Replace "T" with "B" to indicate Top Feed</i>)	TMP FB4R *
600A main fusible switch (<i>* Replace "T" with "B" to indicate Top Feed</i>)	TMP FB6R *
800A main fusible switch (<i>* Replace "T" with "B" to indicate Top Feed</i>)	TMP FB8R *
1200A main fusible switch (<i>* Replace "T" with "B" to indicate Top Feed</i>)	TMP FB12R *
1400A main fusible switch (<i>* Replace "T" with "B" to indicate Top Feed</i>)	TMP FB14R *
1600A main fusible switch (<i>* Replace "T" with "B" to indicate Top Feed</i>)	TMP FB16R *
METER MOD III – NEMA 1/3R COMMERCIAL METERING, SINGLE PHASE Lug Terminal Box	Catalog Number
225A main lug terminal box	TMP 3L4R
400A main lug terminal box	TMP 3L4R
600A main lug terminal box	TMP 3L6R
800A main lug terminal box	TMP L8R
1600A main lug terminal box	TMP L16R
METER MOD III – NEMA 1/3R SINGLE-PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker	Catalog Number
3-position 800A bus-4 jaw	TMP 8312R
4-position 800A bus-4 jaw	TMP 8412R
5-position 800A bus-4 jaw	TMP 8512R
6-position 800A bus-4 jaw	TMP 8612R
METER MOD III – NEMA 1/3R SINGLE-PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing ring-type, 225A max circuit breaker <i>(* Suffix AB,BC,AC reflect factor set phase balancing)</i>	Catalog Number
2-position 800A bus-4 jaw	TMP 112220RTAB *
3-position 800A bus-4 jaw	TMP 112320RTAB *

General Electric Approved Multi-Metering Equipment (pg 2 of 3)

METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing, 125A max circuit breaker Commercial Ringless with lever bypass	Catalog Number
2-position 1200A bus-5 jaw	TMPR12212R
3-position 1200A bus-5 jaw	TMPR12312R
4-position 1200A bus-5 jaw	TMPR12412R
5-position 1200A bus-5 jaw	TMPR12512R
6-position 1200A bus-5 jaw	TMPR12612R
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing, 225A max circuit breaker Commercial Ringless with lever bypass	Catalog Number
1-position 1200A bus-5 jaw	TMPR12122R
2-position 1200A bus-5 jaw	TMPR12222R
3-position 1200A bus-5 jaw	TMPR12322R
4-position 1200A bus-5 jaw	TMPR12422R
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing, 400A max circuit breaker Commercial Ringless with lever bypass	Catalog Number
1-position 1200A bus-5 jaw	TMPR12140RB
2-position 1200A bus-5 jaw	TMPR12240RB
METER MOD III – THREE PHASE NEMA 1/3R Main Breaker	Catalog Number
400A main breaker	TMP3SB4R
600A main breaker	TMP3SB6R
800A main breaker	TMP3SB8R
1000A main breaker	TMP3SB10R
1200A main breaker	TMP3SB12R
1600A main breaker (* Replace "T" with "BC" to indicate Top Feed)	TMP3BB16R *
2000A main breaker (* Replace "T" with "BC" to indicate Top Feed)	TMP3BB20R *
METER MOD III – THREE PHASE NEMA 1/3R Main Fused Switch	Catalog Number
400A main fusible switch (* Replace "T" with "B" to indicate Top Feed)	TMP3FB4R *
600A main fusible switch (* Replace "T" with "B" to indicate Top Feed)	TMP3FB6R *
800A main fusible switch (* Replace "T" with "B" to indicate Top Feed)	TMP3FB8R *
1200A main fusible switch (* Replace "T" with "B" to indicate Top Feed)	TMP3FB12R *
METER MOD III – THREE PHASE NEMA 1/3R Main Lug Section	Catalog Number
400A main lug terminal box	TMP3L4R
600A main lug terminal box	TMP3L6R
800A main lug terminal box	TMP3L8R
1600A main lug terminal box	TMP3L16R

General Electric Approved Multi-Metering Equipment (pg 3 of 3)

METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
3-gang 800A bus-5 jaw	TMP8312R
4-gang 800A bus-5 jaw	TMP8412R
5-gang 800A bus-5 jaw	TMP8512R
6-gang 800A bus-5 jaw	TMP8612R
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 1 phase outgoing ring-type 225A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
2-gang 800A bus-5 jaw	TMP112220RTAB
3-gang 800A bus-5 jaw	TMP112320RTAB
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 1 phase outgoing ring-type 400A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
1-gang 1200A bus-5 jaw	TMPR11240RB
2-gang 1200A bus-5 jaw	TMPR12240RB
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 3 phase outgoing ringless type with lever bypass	Catalog Number
225A max circuit breaker, 1-gang 1200A bus-7 jaw	TMPR312122R
225A max circuit breaker, 2-gang 1200A bus-7 jaw	TMPR312222R
225A max circuit breaker, 3-gang 1200A bus-7 jaw	TMPR312322R
225A max circuit breaker, 4-gang 1200A bus-7 jaw	TMPR312422R
METER MOD III – THREE PHASE NEMA 1/3R	
3 phase incoming, 3 phase outgoing ringless type with lever bypass	Catalog Number
400A max circuit breaker, 1-gang 1200A bus-7 jaw	TMPR312140RB
400A max circuit breaker, 2-gang 1200A bus-7 jaw	TMPR312240RB
ACCESSORIES	Catalog Number
Fifth Jaw Kit, Bused	TM5JA
Barrel Lock Bracket and Lock	TMBL
TEB Breaker Mounting Kit	TMTEB
Insulator for Lever By-Pass Handle	TMHN

Landis-Gyr Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE-PHASE, 4-TERMINAL Field installable fifty terminal kit is catalog #H659-0121	Catalog Number
100/125A overhead/underground	UAT121-0GWR
200A overhead	UAT327-0GWR
200A overhead/underground	UAT427-XMWR
SINGLE POSITION, RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors (connectors not included, must order applicable connector kits separately)	47604-02
320A, overhead/underground, lever bypass with stud connectors (offset design)	48104-2
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	48104-82
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	40405-01NU
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	40407-01NU
200A, underground, 5-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)	9804-9127
200A, underground, 7-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)	9804-9142
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	Need specs
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	Need specs

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	P
HUB Opening	O
Closure Plate	X
1-1/4"	B
1-1/2"	C
2"	D
2-1/2"	E

Midwest Electric Products Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL (Field installable fifth terminal kit is catalog number ARP00035)	Catalog Number
100/125A overhead/underground	URT-RS101 (*)-MEP
200A overhead	URT-RS202 (*) -MEP or URT-RS213 (*) -MEP
200A underground	URT-RS223A-MEP
SINGLE POSITION, RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors	UBT-H4300 (*) -MEP
320A, overhead/underground, lever bypass with stud connectors (offset design)	UBT-H4330 (*) -MEP
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	UBT-H4336-9 (*) -MEP
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	UBT-H5213(*) -MEP
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	UBT-H7213(*) -MEP
200A, underground, 5-terminal lever bypass with stud connectors (offset design)	UBT-H5230A(*) -MEP
200A, underground, 7-terminal lever bypass with stud connectors (offset design)	UBT-H7230A(*) -MEP
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	1008695A-MEP
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	1008694A-MEP
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 100A per position	Catalog Number
Underground only 2 position	URT-2R1121(*) -MEP
Overhead/underground 3 position	URT-3R1121(*) -MEP
Overhead/underground 4 position	URT-4R1121(*) -MEP
Overhead/underground 5 position	URT-5R1121(*) -MEP
Overhead/underground 6 position	URT-6R1131(*) -MEP
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
Underground only 2 position	URT-2R2332(*) -MEP
Overhead/underground 3 position	URT-3R2332(*) -MEP
Overhead/underground 4 position	URT-4R2352(*) -MEP
Overhead/underground 5 position	URT-5R2392(*) -MEP
Overhead/underground 6 position	URT-6R2392(*) -MEP

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX	HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

Milbank Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL 3 wire	Catalog Number
200A overhead, 2" hub, ring-type	U7017-DL-TG-M4
200A overhead, 2" hub, new ring-type	U7017-DL-TG-LR
200A overhead, no hub, ring-type	U7017-RL-TG-M4
200A overhead, no hub, new ring-type	U7017-RL-TG
TEMPORARY	Catalog Number
100A overhead	AP2300-03
SINGLE PHASE 3 WIRE 4 TERMINAL	Catalog Number
320A, underground, lever bypass with stud connectors	U1797-O-K3L-K2L-BL
320A, overhead, lever bypass with stud connectors (residential only)	U4433-X-BL
THREE PHASE	Catalog Number
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	U9701-RRL-BL
INSTRUMENT RATED 20A overhead	Catalog Number
8-terminal FM5S, 3 wire, 2 CT's	U4990-WL-21
13-terminal FM9S, 4 wire, 3 CT's	U2881-WL-21
GANG METER, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
NES Only Approves Underground 2 position	U3532-X-K1

Murray Approved Meter Sockets (pg 1 of 1)

MULTI-POSITION RING-STYLE	
Single-phase, 4-terminal, 100A per position	
	Catalog Number
Underground only 2 position	SN211AR
Overhead/underground 3 position	SN311AR
Overhead/underground 4 position	SN411AR
MULTI-POSITION RING-STYLE	
Single-phase, 4-terminal, 200A per position	
	Catalog Number
Underground only 2 position	SS251CR
Overhead/underground 3 position	SS351CR
Overhead/underground 4 position	SS451CR

Murray Approved Multi-Metering Equipment (pg 1 of 2)

MP METER PAK	Catalog Number
Ring-type 120V 1 phase 3-wire NEMA 1/3R, 125A max circuit breaker	
2-position 200A main lug	MP2211
3-position 300A main lug	MP3311
4-position 400A main lug	MP5411
5-position 500A main lug	MP6511
6-position 600A main lug	MP6611
MP METER PAK	Catalog Number
Ring-type 120V 1 phase 3-wire NEMA 1/3R, 200A max circuit breaker	
2-position 400A main lug	MP4212
3-position 400A main lug	MP4312
4-position 600A main lug	MP6412
5-position 800A main lug	MP6512
6-position 800A main lug	MP6612
MURRAY MOD METERING - SINGLE PHASE MAINS	Catalog Number
400A main breaker	DB042W
600A main breaker	DB062W
800A main breaker	DB082W
1000A main breaker	DB102W
1200A main breaker	DB122W
1600A main breaker	DB162W
MURRAY MOD METERING - SINGLE PHASE FUSED SWITCH	Catalog Number
400A main fusible switch	DT042W
600A main fusible switch	DT062W
800A main fusible switch	DT082W
1200A main fusible switch	DT122W
MURRAY MOD METERING – SINGLE PHASE LUG TAP BOX	Catalog Number
800A main lug tap box	DTB082W
1200A main lug tap box	DTB122W
1600A main lug tap box	DTB162W
MURRAY MOD METERING – SINGLE PHASE GANGABLE BRANCH DEVICES	Catalog Number
1 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	
3-position 1200A bus-4 jaw	DG331W
4-position 1200A bus-4 jaw	DG431W
5-position 1200A bus-4 jaw	DG531W
6-position 1200A bus-4 jaw	DG631W
1 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-position 1200A bus-4 jaw	DG232W
3-position 1200A bus-4 jaw	DG332W
4-position 1200A bus-4 jaw	DG432W
MURRAY MOD METERING – SINGLE PHASE GANGABLE BRANCH DEVICES	Catalog Number
1 phase incoming, 1 phase outgoing, Commercial ringless type, lever bypass	
200A max circuit breaker, 1-position 1200A bus-5 jaw	DL135W4
200A max circuit breaker, 2-position 1200A bus-5 jaw	DL235W4
200A max circuit breaker, 3-position 1200A bus-5 jaw	DL335W4
200A max circuit breaker, 4-position 1200A bus-5 jaw	DL435W4
400A max circuit breaker, 1-position 1200A bus-5 jaw	DL133W4

Murray Approved Multi-Metering Equipment (pg 2 of 2)

MURRAY MOD METERING – THREE PHASE MAINS	Catalog Number
400A main breaker	DB043W
600A main breaker	DB063W
800A main breaker	DB083W
1000A main breaker	DB103W
1200A main breaker	DB123W
1600A main breaker	DB163W
MURRAY MOD METERING – THREE PHASE FUSIBLE SWITCH	Catalog Number
400A main fusible switch	DT043UW
600A main fusible switch	DT063UW
800A main fusible switch	DT083UW
MURRAY MOD METERING – THREE PHASE LUG TAP BOX	Catalog Number
800A main lug tap box	DTB083W
1200A main lug tap box	DTB123W
1600A main lug tap box	DTB163W
MURRAY MOD METERING – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
3-gang 1200A bus-5 jaw	DG341W
4-gang 1200A bus-5 jaw	DG441W
5-gang 1200A bus-5 jaw	DG541W
6-gang 1200A bus-5 jaw	DG641W
MURRAY MOD METERING – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-gang 1200A bus-5 jaw	DG242W
3-gang 1200A bus-5 jaw	DG342W
4-gang 1200A bus-5 jaw	DG442W
MURRAY MOD METERING – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ringless type lever bypass	Catalog Number
200A max circuit breaker, 1-gang 1200A bus-5 jaw	DL145W5
200A max circuit breaker, 2-gang 1200A bus-5 jaw	DL245W5
200A max circuit breaker, 3-gang 1200A bus-5 jaw	DL345W5
200A max circuit breaker, 4-gang 1200A bus-5 jaw	DL445W5
400A max circuit breaker, 1-position 1200A bus-5 jaw	DL143W5
MURRAY MOD METERING – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 3 phase outgoing ringless type, lever bypass	Catalog Number
200A max circuit breaker, 1-gang 1200A bus-7 jaw	DL142W7
200A max circuit breaker, 2-gang 1200A bus-7 jaw	DL242W7
200A max circuit breaker, 3-gang 1200A bus-7 jaw	DL342W7
200A max circuit breaker, 4-gang 1200A bus-7 jaw	DL442W7
400A max circuit breaker, 1-position 1200A bus- 5 jaw	DL143W7

Siemens Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION	
Ring-Style, single-phase, 4-terminal	Catalog Number
Field installable fifty terminal kit is catalog #H659-0121	
100/125A overhead/underground	SUAT121-0GWR
200A overhead	SUAT327-0GWR
200A overhead/underground	SUAT427-XMWR
THREE PHASE	
Catalog Number	
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	S40407-01NU
200A, underground, 7-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)	S98049142

Siemens Approved Multi-Metering Equipment (pg 1 of 3)

SP METER PAK, RING-TYPE, 120V, SINGLE PHASE, 3-WIRE NEMA 1/3R 125A max circuit breaker	Catalog Number
2-position 200A main lug	SP2211
3-position 300A main lug	SP3311
4-position 400A main lug	SP5411
5-position 500A main lug	SP6511
6-position 600A main lug	SP6611
SP METER PAK, RING-TYPE, 120V, SINGLE PHASE, 3 WIRE NEMA 1/3R 200A max circuit breaker	Catalog Number
2-position 400A main lug	SP4212
3-position 400A main lug	SP4312
4-position 600A main lug	SP6412
5-position 800A main lug	SP6512
6-position 800A main lug	SP6612
SP METER PAK, RINGLESS TYPE, 120V, SINGLE PHASE, 3 WIRE NEMA 1/3R 200A max circuit breaker	Catalog Number
2-position 400A main lug w/ lever bypass	SP4212RJL
3-position 400A main lug w/ lever bypass	SP4312RJL
4-position 400A main lug w/ lever bypass	SP4412RJL
5-position 600A main lug w/ lever bypass	SP6512RJL
6-position 600A main lug w/ lever bypass	SP6612RJL
Siemens MOD Metering – SINGLE PHASE Main Breaker	Catalog Number
400A main breaker	WMC4
600A main breaker	WMC6
800A main breaker	WMC8
1000A main breaker	WMC10
1200A main breaker	WMC12
1400A main breaker	WMC14
1600A main breaker	WMC16
Siemens MOD Metering – SINGLE PHASE Fusible Switch	Catalog Number
400A main fusible switch	WMS4U
600A main fusible switch	WMS6U
800A main fusible switch	WMS8U
1200A main fusible switch	WMS12U
Siemens MOD Metering – SINGLE PHASE Lug Terminal Box	Catalog Number
800A main lug tap box	WMTB8U
1200A main lug tap box	WMTB12U
1600A main lug tap box	WMTB16U

Siemens Approved Multi-Metering Equipment (pg 2 of 3)

Siemens MOD Metering – SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
2-position 1200A bus -4 jaw	WMM2U
3-position 1200A bus-4 jaw	WMM3U
4-position 1200A bus-4 jaw	WMM4U
5-position 1200A bus-4 jaw	WMM5U
6-position 1200A bus-4 jaw	WMM6U
Siemens MOD Metering – SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-position 1200A bus-4 jaw	WMM2200U
3-position 1200A bus-4 jaw	WMM3200U
4-position 1200A bus-4 jaw	WMM4200U
Siemens MOD Metering – SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing, 200A max circuit breaker Ringless type, lever bypass, Commercial	Catalog Number
1-position 1200A bus-5 jaw	W1MM1225U
2-position 1200A bus-5 jaw	W1MM2225U
3-position 1200A bus-5 jaw	W1MM3225U
4-position 1200A bus-5 jaw	W1MM4225U
Siemens MOD Metering – SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing, 400A max circuit breaker Ringless type, lever bypass	Catalog Number
1-position 1200A bus-5 jaw	W1MM1400
2-position 1200A bus-5 jaw	W1MM2400
Siemens MOD Metering – THREE PHASE Main Breaker	Catalog Number
400A main breaker	WMC44
600A main breaker	WMC64
800A main breaker	WMC84
1000A main breaker	WMC104
1200A main breaker	WMC124
1400A main breaker	WMC144
1600A main breaker	WMC164
Siemens MOD Metering – THREE PHASE Fusible Switch	Catalog Number
400A main fusible switch	WMS44U
600A main fusible switch	WMS64U
800A main fusible switch	WMS84U
1200A main fusible switch	WMS124U
Siemens MOD Metering – THREE PHASE Lug Terminal Box	Catalog Number
800A main lug tap box	WMTB84U
1200A main lug tap box	WMTB124U
1600A main lug tap box	WMTB164U

Siemens Approved Multi-Metering Equipment (pg 3 of 3)

Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
3-position 1200A bus-5 jaw	WMM34U
4-position 1200A bus-5 jaw	WMM44xxU (xx = AB, BC, OR CA)
5-position 1200A bus-5 jaw	WMM54ABU
6-position 1200A bus-5 jaw	WMM64U
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-position 1200A bus-5 jaw	WMM24AB200U
3-position 1200A bus-5 jaw	WMM34200U
4-position 1200A bus-5 jaw	WMM44xx200U (xx = AB, BC, OR CA)
5-position 1200A bus-5 jaw	WMM54xx200U (xx = AB, BC, OR CA)
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing, 200A max circuit breaker Ringless type, lever bypass, Commercial	Catalog Number
1-position 1200A bus-5 jaw	W2MM1225U
2-position 1200A bus-5 jaw	W2MM2xx225U (xx = AB, BC, OR CA)
3-position 1200A bus-5 jaw	W2MM3225U
4-position 1200A bus-5 jaw	W2MM4xx225U (xx = AB, BC, OR CA)
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ringless, 400A max circuit breaker Ringless type, lever bypass	Catalog Number
1-position 1200A bus-5 jaw	W2MM1400
2-position 1200A bus-5 jaw	W2MM2400
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 3 phase outgoing, 200A max circuit breaker Ringless type, lever bypass, Commercial	Catalog Number
1-position 1200A bus-7 jaw	W3MM1200U
2-position 1200A bus-7 jaw	W3MM2200U
3-position 1200A bus-7 jaw	W3MM3200U
4-position 1200A bus-7 jaw	W3MM4200U
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 3 phase outgoing, 400A max circuit breaker Ringless type, lever bypass	Catalog Number
1-position 1200A bus-5 jaw	W3MM1400
2-position 1200A bus-5 jaw	W3MM2400

Square D Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE 4-TERMINAL Field installable fifth terminal kit is catalog number ARP00035		Catalog Number	
100/125A overhead/underground		URT-RS101 (*)-SQD	
200A overhead		URT-RS202 (*)-SQD or URT-RS213 (*)-SQD	
200A underground		URT-RS223A-SQD	
SINGLE POSITION, RINGLESS Field installable fifth terminal kit is catalog number ARP00862		Catalog Number	
320A, overhead, lever bypass with stud connectors (connectors not included, must order applicable connector kits separately)		UBT-H4300 (*)-SQD	
320A, overhead/underground, lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)		UBT-H4330 (*)-SQD	
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)		UBT-H4336-9 (*)-SQD	
THREE PHASE		Catalog Number	
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs		UBT-H5213(*)-SQD	
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs		UBT-H7213(*)-SQD	
200A, underground, 5-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)		UBT-H5230A(*)-SQD	
200A, underground, 7-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)		UBT-H7230A *)-SQD	
INSTRUMENT RATED		Catalog Number	
20A, overhead, 8-terminal with pre-wired test switch and 1" hub		1008695A-SQD	
20A, overhead, 13-terminal with pre-wired test switch and 1" hub		1008694A-SQD	
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL Field installable fifth terminal kit is catalog number ARP00035		100A Catalog Number	200A Catalog Number
Underground only 2 position No overhead 2 position allowed		URT-2R1121(*)-SQD	URT-2R2332(*)-SQD
Overhead/underground 3 position		URT-3R1121(*)-SQD	URT-3R2332(*)-SQD
Overhead/underground 4 position		URT-4R1121(*)-SQD	URT-4R2352(*)-SQD
Overhead/underground 5 position		URT-5R1121(*)-SQD	URT-5R2392(*)-SQD
Overhead/underground 6 position		URT-6R1131(*)-SQD	URT-6R2392(*)-SQD

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

Hub Or Top Configuration	Catalog Suffix	Hub Or Top Configuration	Catalog Suffix
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

Square D Approved Multi-Metering Equipment (pg 1 of 3)

MP METER PAK, RING-TYPE, 120V, SINGLE PHASE, NEMA 1/3R 125A max circuit breaker	Catalog Number
2-position 200A main lug	MP22125
3-position 300A main lug	MP33125
4-position 400A main lug	MP44125
5-position 500A main lug	MP55125
6-position 600A main lug	MP66125
MP METER PAK, RING-TYPE, 120V, SINGLE PHASE, NEMA 1/3R 200A max circuit breaker	Catalog Number
2-position 400A main lug	MP42200
3-position 400A main lug	MP43200
4-position 600A main lug	MP64200
5-position 800A main lug	MP85200
6-position 800A main lug	MP86200
EZ METER PAK-SINGLE PHASE Main Breaker	Catalog Number
400A main breaker	EZM1400CB
600A main breaker	EZM1600CB
800A main breaker	EZM1800CB
1000A main breaker	EZM11000CB
1200A main breaker	EZM11200CB
1600A main breaker	EZM11600CB
2000A main breaker	EZM12000CB
EZ METER PAK-SINGLE PHASE Fusible Switch	Catalog Number
400A main fusible switch	EZM1400FS
600A main fusible switch	EZM1600FS
800A main fusible switch	EZM1800FS
1200A main fusible switch	EZM11200FS
EZ METER PAK-SINGLE PHASE Lug Terminal Box	Catalog Number
225A main lug terminal box	EZM1225TB
400A main lug terminal box	EZM1400TB
600A main lug terminal box	EZM1600TB
800A main lug terminal box	EZM1800TB
1600A main lug terminal box	EZM11600TB

Square D Approved Multi-Metering Equipment (pg 2 of 3)

EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
3-position 800A bus-4 jaw	EZM113125
4-position 800A bus-4 jaw	EZM114125
5-position 800A bus-4 jaw	EZM115125
6-position 800A bus-4 jaw	EZM116125
EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 225A max circuit breaker	Catalog Number
2-position 800A bus-4 jaw	EZM112225
3-position 800A bus-4 jaw	EZM113225
4-position 800A bus-4 jaw	EZM114225
5-position 800A bus-4 jaw	EZM115225
EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 225A max circuit breaker Ringless type, lever bypass, Commer.	Catalog Number
1-position 1200A bus-5 jaw	EZML111225
2-position 1200A bus-5 jaw	EZML112225
3-position 1200A bus-5 jaw	EZML113225
4-position 1200A bus-5 jaw	EZML114225
EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing , 400A max circuit breaker Ringless type, lever bypass	Catalog Number
1-position 1200A bus-5 jaw	EZML111400
2-position 1200A bus-5 jaw	EZML112400

Square D Approved Multi-Metering Equipment (pg 3 of 3)

EZ METER PAK-THREE PHASE Main Breakers	Catalog Number
400A main breaker	EZM3400CB
600A main breaker	EZM3600CB
800A main breaker	EZM3800CB
1000A main breaker	EZM31000CB
1200A main breaker	EZM31200CB
1600A main breaker	EZM31600CB
2000A main breaker	EZM32000CB
EZ METER PAK-THREE PHASE Fusible Switch	Catalog Number
400A main fusible switch	EZM3400FS
600A main fusible switch	EZM3600FS
800A main fusible switch	EZM3800FS
EZ METER PAK-THREE PHASE Lug Terminal Box	Catalog Number
225A main lug terminal box	EZM3225TB
400A main lug terminal box	EZM3400TB
600A main lug terminal box	EZM3600TB
800A main lug terminal box	EZM3800TB
1600A main lug terminal box	EZM31600TB
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
3-gang 800A bus-5 jaw	EZM313125
4-gang 800A bus-5 jaw	EZM314125
5-gang 800A bus-5 jaw	EZM315125
6-gang 800A bus-5 jaw	EZM316125
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 225A max circuit breaker	Catalog Number
2-gang 800A bus-5 jaw	EZM312225
3-gang 800A bus-5 jaw	EZM313225
4-gang 800A bus-5 jaw	EZM314225
5-gang 1200A bus-5 jaw	EZM315225
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing, ringless type lever bypass, 400A max circuit breaker	Catalog Number
1-gang 1200A bus-5 jaw	EZML311400
2-gang 1200A bus-5 jaw	EZML312400
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 3 phase outgoing, ringless type lever bypass 225A max circuit breaker	Catalog Number
1-gang 1200A bus-7 jaw	EZML331225
2-gang 1200A bus-7 jaw	EZML332225
3-gang 1200A bus-7 jaw	EZML333225
4-gang 1200A bus-7 jaw	EZML334225