

Eaton Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL (Field installable fifth terminal kit is catalog number ARP00035)	Catalog Number
100/125A overhead/underground	URT-RS101 (*)-CH
200A overhead	URT-RS202 (*)-CH or URT-RS213 (*)-CH
200A underground	URT-RS223A-CH
SINGLE POSITION RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors	UBT-H4300 (*)-CH
320A, overhead/underground, lever bypass with stud connectors (offset design)	UBT-H4330 (*)-CH
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	UBT-H4336-9 (*)-CH
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	UBT-H5213(*)-CH
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	UBT-H7213(*)-CH
200A, underground, 5-terminal lever bypass with stud connectors (offset design)	UBT-H5230A(*)-CH
200A, underground, 7-terminal lever bypass with stud connectors (offset design)	UBT-H7230A(*)-CH
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	1008695A-CH
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	1008694A-CH
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 100A per position	Catalog Number
Underground only 2 position	URT-2R1121(*)-CH
Overhead/underground 3 position	URT-3R1121(*)-CH
Overhead/underground 4 position	URT-4R1121(*)-CH
Overhead/underground 5 position	URT-5R1121(*)-CH
Overhead/underground 6 position (3 high by 3 High)	URT-6R1131(*)-CH
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
Underground only 2 position	URT-2R2332(*)-CH
Overhead/underground 3 position	URT-3R2332(*)-CH
Overhead/underground 4 position	URT-4R2352(*)-CH
Overhead/underground 5 position	URT-5R2392(*)-CH
Overhead/underground 6 position (3 high by 3 High)	URT-6R2392(*)-CH

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX	HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

The Durham Company Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL (Field installable fifth terminal kit is catalog number ARP00035)	Catalog Number
100/125A overhead/underground	URT-RS101 (*)
200A overhead	URT-RS202 (*) or URT-RS213 (*)
200A underground	URT-RS223A
SINGLE POSITION RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors	UBT-H4300 (*)
320A, overhead/underground, lever bypass with stud connectors (offset design)	UBT-H4330 (*)
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	UBT-H4336-9 (*)
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	UBT-H5213(*)
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	UBT-H7213(*)
200A, underground, 5-terminal lever bypass with stud connectors (offset design)	UBT-H5230A(*)
200A, underground, 7-terminal lever bypass with stud connectors (offset design)	UBT-H7230A(*)
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	1008695A
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	1008694A
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 100A per position	Catalog Number
Underground only 2 position	URT-2R1121(*)
Overhead/underground 3 position	URT-3R1121(*)
Overhead/underground 4 position	URT-4R1121(*)
Overhead/underground 5 position	URT-5R1121(*)
Overhead/underground 6 position (3 high by 3 High)	URT-6R1131(*)
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
Underground only 2 position	URT-2R2332(*)
Overhead/underground 3 position	URT-3R2332(*)
Overhead/underground 4 position	URT-4R2352(*)
Overhead/underground 5 position	URT-5R2392(*)
Overhead/underground 6 position (3 high by 3 High)	URT-6R2392(*)

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX	HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

Eaton Approved Multi-Metering Equipment (pg 1 of 2)

METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker	Catalog Number
3-position 800A bus-4 jaw	1MM312R
4-position 800A bus-4 jaw	1MM412R
5-position 800A bus-4 jaw	1MM512R
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-position 800A bus-4 jaw	3MM220R
3-position 800A bus-4 jaw	1MM320R
4-position 800A bus-4 jaw	1MM420R
5-position 1200A bus-4 jaw	1MM520R
MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
125A max circuit breaker, 2-position 200A main lug	1MP2122R
125A max circuit breaker, 3-position 300A main lug	1MP3124R
125A max circuit breaker, 4-position 400A main lug	1MP4124R
125A max circuit breaker, 5-position 500A main lug	1MP5126R
125A max circuit breaker, 6-position 600A main lug	1MP6126R
MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
200A max circuit breaker, 2-position 400A main lug	1MP2204R
200A max circuit breaker, 3-position 400A main lug	1MP3206R
200A max circuit breaker, 4-position 600A main lug	1MP4206R
200A max circuit breaker, 5-position 800A main lug	1MP5206R
200A max circuit breaker, 6-position 800A main lug	1MP6206R
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS 1 phase incoming, 1 phase outgoing , 400A max circuit breaker Ringless with lever bypass	Catalog Number
1-position 1200A bus-5 jaw	35MM140R1240
2-position 1200A bus-5 jaw	35MM240R1240
METER MOD III – THREE PHASE NEMA 1/3R 3 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
3-gang 800A bus-5 jaw	3MM312R
4-gang 800A bus-5 jaw	3MM412R
5-gang 800A bus-5 jaw	3MM512R
METER MOD III – THREE PHASE NEMA 1/3R 3 phase incoming, 1 phase outgoing ring-type 200A max circuit breaker <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
2-gang 800A bus-5 jaw	3MM220R
3-gang 800A bus-5 jaw	3MM320R
4-gang 800A bus-5 jaw	3MM420R
5-gang 800A bus-5 jaw	3MM520R
METER MOD III – THREE PHASE NEMA 1/3R 3 phase incoming, 1 phase outgoing ring-type 400A max circuit breaker Ringless with lever bypass <i>(includes 4 wire cross bus for phase balancing)</i>	Catalog Number
1-gang 800A bus-5 jaw	35MM140R1240
2-gang 800A bus-5 jaw	35MM240R1240

Eaton Approved Multi-Metering Equipment (pg 2 of 2)

METER MOD III – THREE PHASE NEMA 1/3R 3 phase incoming, 3 phase outgoing ringless type with lever bypass	Catalog Number
200A max circuit breaker, 1-gang 1200A bus-7 jaw	37MM120R12
200A max circuit breaker, 2-gang 1200A bus-7 jaw	37MM220R12
200A max circuit breaker, 3-gang 1200A bus-7 jaw	37MM320R12
200A max circuit breaker, 4-gang 1200A bus-7 jaw	37MM420R12
ACCESSORIES	Catalog Number
Fifth Jaw Kit, Bused	1MM5JK
Barrel Lock Bracket and Lock	37MMBLK
TEB Breaker Mounting Kit	37MMCBK
Insulator for Lever By-Pass Handle	37MMHC

General Electric Approved Multi-Metering Equipment (pg 1 of 2)

MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
125A max circuit breaker, 2-position 200A main lug	TMM2212R
125A max circuit breaker, 3-position 300A main lug	TMM4312R
125A max circuit breaker, 4-position 400A main lug	TMM4412R
125A max circuit breaker, 5-position 500A main lug	TMM6512R
MINI MOD III – NEMA 1/3R residential metering, single phase ring type	Catalog Number
200A max circuit breaker, 2-position 400A main lug	TMM4220R
200A max circuit breaker, 3-position 400A main lug	TMM6320R
200A max circuit breaker, 4-position 600A main lug	TMM6420R
200A max circuit breaker, 5-position 800A main lug	TMM6520R
METER MOD III – NEMA 1/3R SINGLE-PHASE METER SOCKETS	Catalog Number
1 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker	
3-position 800A bus-4 jaw	TMP8312R
4-position 800A bus-4 jaw	TMP8412R
5-position 800A bus-4 jaw	TMP8512R
METER MOD III – NEMA 1/3R SINGLE-PHASE METER SOCKETS	Catalog Number
1 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	
<i>(* Suffix AB,BC,AC reflect factor set phase balancing)</i>	
2-position 800A bus-4 jaw	TMP112220RTAB *
3-position 800A bus-4 jaw	TMP112320RTAB *
METER MOD III – NEMA 1/3R SINGLE PHASE METER SOCKETS	Catalog Number
1 phase incoming, 1 phase outgoing, 400A max circuit breaker	
Ringless with lever bypass	
1-position 1200A bus-5 jaw	TMPR12140RB
2-position 1200A bus-5 jaw	TMPR12240RB
METER MOD III – THREE PHASE NEMA 1/3R	Catalog Number
3 phase incoming, 1 phase outgoing ring-type 125A max circuit breaker	
<i>(includes 4 wire cross bus for phase balancing)</i>	
3-gang 800A bus-5 jaw	TMP8312R
4-gang 800A bus-5 jaw	TMP8412R
5-gang 800A bus-5 jaw	TMP8512R
METER MOD III – THREE PHASE NEMA 1/3R	Catalog Number
3 phase incoming, 1 phase outgoing ring-type 200A max circuit breaker	
<i>(includes 4 wire cross bus for phase balancing)</i>	
2-gang 800A bus-5 jaw	TMP112220RTAB
3-gang 800A bus-5 jaw	TMP112320RTAB
METER MOD III – THREE PHASE NEMA 1/3R	Catalog Number
3 phase incoming, 1 phase outgoing ring-type 400A max circuit breaker	
<i>(includes 4 wire cross bus for phase balancing)</i>	
1-gang 1200A bus-5 jaw	TMPR11240RB
2-gang 1200A bus-5 jaw	TMPR12240RB

General Electric Approved Multi-Metering Equipment (pg 2 of 2)

METER MOD III – THREE PHASE NEMA 1/3R 3 phase incoming, 3 phase outgoing ringless type with lever bypass	Catalog Number
200A max circuit breaker, 1-gang 1200A bus-7 jaw	TMPR312122R
200A max circuit breaker, 2-gang 1200A bus-7 jaw	TMPR312222R
200A max circuit breaker, 3-gang 1200A bus-7 jaw	TMPR312322R
200A max circuit breaker, 4-gang 1200A bus-7 jaw	TMPR312422R
ACCESSORIES	Catalog Number
Fifth Jaw Kit, Bused	TM5JA
Barrel Lock Bracket and Lock	TMBL
TEB Breaker Mounting Kit	TMTEB
Insulator for Lever By-Pass Handle	TMHN

Landis-Gyr Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE-PHASE, 4-TERMINAL Field installable fifty terminal kit is catalog #H659-0121	Catalog Number
100/125A overhead/underground	UAT121-0GWR
200A overhead	UAT327-0GWR
200A overhead/underground	UAT427-XMWR
SINGLE POSITION, RINGLESS	Catalog Number
320A, overhead, lever bypass with stud connectors (connectors not included, must order applicable connector kits separately)	47604-02
320A, overhead/underground, lever bypass with stud connectors (offset design)	48104-02
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)	48104-82
THREE PHASE	Catalog Number
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs	40405-01NU
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	40407-01NU
200A, underground, 5-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)	9804-9127
200A, underground, 7-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)	9804-9142
INSTRUMENT RATED	Catalog Number
20A, overhead, 8-terminal with pre-wired test switch and 1" hub	Need specs
20A, overhead, 13-terminal with pre-wired test switch and 1" hub	Need specs

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

HUB OR TOP CONFIGURATION	CATALOG SUFFIX
SOLID	P
HUB Opening	O
Closure Plate	X
1-1/4"	B
1-1/2"	C
2"	D
2-1/2"	E

Murray Approved Meter Sockets (pg 1 of 1)

MULTI-POSITION RING-STYLE Single-phase, 4-terminal, 100A per position	Catalog Number
Underground only 2 position	SN211AR
Overhead/underground 3 position	SN311AR
Overhead/underground 4 position	SN411AR
MULTI-POSITION RING-STYLE Single-phase, 4-terminal, 200A per position	Catalog Number
Underground only 2 position	SS251CR
Overhead/underground 3 position	SS351CR
Overhead/underground 4 position	SS451CR

Siemens Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION	
Ring-Style, single-phase, 4-terminal Field installable fifth terminal kit is catalog #H659-0121	Catalog Number
100/125A overhead/underground	SUAT121-0GWR
200A overhead	SUAT327-0GWR
200A overhead/underground	SUAT427-XMWR
THREE PHASE	
	Catalog Number
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	S40407-01NU
200A, underground, 7-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)	S98049142
13 terminal 20A 600VAC instrument rated meter socket	9837-0910

Siemens Approved Multi-Metering Equipment (pg 1 of 2)

SP METER PAK, RING-TYPE, 120V, SINGLE PHASE, 3-WIRE NEMA 1/3R 125A max circuit breaker	Catalog Number
2-position 200A main lug	WP2211
3-position 300A main lug	WP3311
4-position 400A main lug + 500A main lug	WP4411 + 5411
5-position 500A main lug + 600A main lug	WP4511 + 6511
6-position 600A main lug (3 high by 3 High)	WP6611
SP METER PAK, RING-TYPE, 120V, SINGLE PHASE, 3-WIRE NEMA 1/3R 125A max circuit breaker	Catalog Number
2-position 200A main lug	WP2211
3-position 300A main lug	WP3311
4-position 400A main lug + 500A main lug	WP4411 + 5411
5-position 500A main lug + 600A main lug	WP4511 + 6511
Siemens MOD Metering- SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1phase outgoing ring-type, 125A max circuit breaker	Catalog Number
2-position 1200A bus-4 jaw	WMM21125
3-position 1200A bus-4 jaw	WMM31125
4-position 1200A bus-4 jaw	WMM41125
5-position 1200A bus-4 jaw	WMM51125
Siemens MOD Metering- SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-position 1200A bus-4 jaw	WMM21225
3-position 1200A bus-4 jaw	WMM31225
4-position 1200A bus-4 jaw	WMM41225
5-position 1200A bus-4 jaw	WMM51225
Siemens MOD Metering – RING-TYPE, 1 phase incoming, 1 phase outgoing, 3-wire, thru bus, distribution , and subfeed	Catalog Number
125A	WC2040B1T9
150A	WC2040B1T8
150A	WC2040B1T7
150A	WC2040B1T6
150A	WC2040B1T5
175A	WC2040B1T4
175A	WC2040B1T3
200A	WC2040B1T2
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
2-position 1200A bus-5 jaw	WMM22125J
3-position 1200A bus-5 jaw	WMM32125J
4-position 1200A bus-5 jaw	WMM42125J
5-position 1200A bus-5 jaw	WMM52125J

Siemens Approved Multi-Metering Equipment (pg 2 of 2)

Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number	
2-position 1200A bus-5 jaw	WMM22225J	
3-position 1200A bus-5 jaw	WMM32225J	
4-position 1200A bus-5 jaw	WMM42225J	
5-position 1200A bus-5 jaw	WMM52225J	
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ringless, 400A max circuit breaker Ringless type, lever bypass	Catalog Number	
1-position 1200A bus-5 jaw	WML12400RJ	
2-position 1200A bus-5 jaw	WML22400RJ	
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 3 phase outgoing, 200A max circuit breaker Ringless type, lever bypass, Commercial	Catalog Number	
1-position 1200A bus-7 jaw	WML13225RJ	
2-position 1200A bus-7 jaw	WML23225RJ	
3-position 1200A bus-7 jaw	WML33225RJ	
4-position 1200A bus-7 jaw	WML43225RJ	
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES, 3 phase incoming, 1 phase outgoing ring-type, distribution, and subfeed		Cat
125A	WC2040B2T9J	
150A	WC2040B2T8J	
150A	WC2040B2T7J	
150A	WC2040B2T6J	
150A	WC2040B2T5J	
175A	WC2040B2T4J	
175A	WC2040B2T3J	
200A	WC2040B2T2J	
Siemens MOD Metering – THREE PHASE GANGABLE BRANCH DEVICES, 3 phase incoming, 3 phase outgoing ringless type bypass meter-loadcenter stacks, distribution, and subfeed	Catalog Number	
125A	WCL2442B3T9RJ	
150A	WCL2442B3T8RJ	
150A	WCL2442B3T7RJ	
150A	WCL2442B3T6RJ	
150A	WCL2442B3T5RJ	
175A	WCL2442B3T4RJ	
175A	WCL2442B3T3RJ	
200A	WCL2442B3T2RJ	

Square D Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE 4-TERMINAL Field installable fifth terminal kit is catalog number ARP00035		Catalog Number	
100/125A overhead/underground		URT-RS101 (*)-SQD	
200A overhead		URT-RS202 (*) -SQD or URT-RS213 (*) -SQD	
200A underground		URT-RS223A-SQD	
SINGLE POSITION, RINGLESS Field installable fifth terminal kit is catalog number ARP00862		Catalog Number	
320A, overhead, lever bypass with stud connectors (connectors not included, must order applicable connector kits separately)		UBT-H4300 (*) -SQD	
320A, overhead/underground, lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)		UBT-H4330 (*) -SQD	
320A, overhead/underground, lever bypass with 600MCM line lugs and dual 350MCM load lugs (offset design)		UBT-H4336-9 (*) -SQD	
THREE PHASE		Catalog Number	
200A, overhead/underground, 5-terminal lever bypass with 350MCM lugs		UBT-H5213(*) -SQD	
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs		UBT-H7213(*) -SQD	
200A, underground, 5-terminal lever bypass with stud connectors (offset design)(connectors not included, must order applicable connector kits separately)		UBT-H5230A(*) -SQD	
200A, underground, 7-terminal lever bypass with stud connectors (offset design) (connectors not included, must order applicable connector kits separately)		UBT-H7230A *) -SQD	
INSTRUMENT RATED		Catalog Number	
20A, overhead, 8-terminal with pre-wired test switch and 1" hub		1008695A-SQD	
20A, overhead, 13-terminal with pre-wired test switch and 1" hub		1008694A-SQD	
MULTI-POSITION RING-STYLE, SINGLE PHASE, 4-TERMINAL Field installable fifth terminal kit is catalog number ARP00035		100A Catalog Number	200A Catalog Number
Underground only 2 position No overhead 2 position allowed		URT-2R1121(*) -SQD	URT-2R2332(*) -SQD
Overhead/underground 3 position		URT-3R1121(*) -SQD	URT-3R2332(*) -SQD
Overhead/underground 4 position		URT-4R1121(*) -SQD	URT-4R2352(*) -SQD
Overhead/underground 5 position		URT-5R1121(*) -SQD	URT-5R2392(*) -SQD
Overhead/underground 6 position		URT-6R1131(*) -SQD	URT-6R2392(*) -SQD

(*): Select desired bolt-on hub or top configuration from HUB SELECTION CHART below and add the appropriate suffix to the catalog number.
Some units available with only small hub or top configurations.

Hub Or Top Configuration	Catalog Suffix	Hub Or Top Configuration	Catalog Suffix
SOLID	A	SOLID	A
FOR HUB (Small)	B	FOR HUB (Large)	T
HCP (small)	C	HCP (Large)	U
1-1/4" (small)	L	2-1/2" (Large)	V
1-1/2" (small)	M	3" (Large)	Q
2" (small)	N	3-1/2" (Large)	R
2-1/2" (small)	P	4" (Large)	S

Square D Approved Multi-Metering Equipment (pg 1 of 2)

MP METER PAK, RING-TYPE, 120V, SINGLE PHASE, NEMA 1/3R 125A max circuit breaker	Catalog Number
2-position 200A main lug	MP22125
3-position 300A main lug	MP33125
4-position 400A main lug	MP44125
5-position 500A main lug	MP55125
6-position 600A main lug (3 high by 3 High)	MP66125
MP METER PAK, RING-TYPE, 120V, SINGLE PHASE, NEMA 1/3R 200A max circuit breaker	Catalog Number
2-position 400A main lug	MP42200
3-position 400A main lug	MP43200
4-position 600A main lug	MP64200
5-position 800A main lug	MP85200
6-position 800A main lug (3 high by 3 High)	MP86200
EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
3-position 800A bus-4 jaw	EZM113125
4-position 800A bus-4 jaw	EZM114125
5-position 800A bus-4 jaw	EZM115125
EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-position 800A bus-4 jaw	EZM112225
3-position 800A bus-4 jaw	EZM113225
4-position 800A bus-4 jaw	EZM114225
5-position 800A bus-4 jaw	EZM115225
EZ METER PAK-SINGLE PHASE GANGABLE BRANCH DEVICES 1 phase incoming, 1 phase outgoing , 400A max circuit breaker Ringless type, lever bypass	Catalog Number
1-position 1200A bus-5 jaw	EZML111400
2-position 1200A bus-5 jaw	EZML112400
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 125A max circuit breaker	Catalog Number
3-gang 800A bus-5 jaw	EZM313125
4-gang 800A bus-5 jaw	EZM314125
5-gang 800A bus-5 jaw	EZM315125
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing ring-type, 200A max circuit breaker	Catalog Number
2-gang 800A bus-5 jaw	EZM312225
3-gang 800A bus-5 jaw	EZM313225
4-gang 800A bus-5 jaw	EZM314225
5-gang 1200A bus-5 jaw	EZM315225
EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 1 phase outgoing, ringless type lever bypass, 400A max circuit breaker	Catalog Number
1-gang 1200A bus-5 jaw	EZML311400
2-gang 1200A bus-5 jaw	EZML312400

Square D Approved Multi-Metering Equipment (pg 2 of 2)

EZ METER PAK-THREE PHASE GANGABLE BRANCH DEVICES 3 phase incoming, 3 phase outgoing, ringless type lever bypass 200A max circuit breaker	Catalog Number
1-gang 1200A bus-7 jaw	EZML331225
2-gang 1200A bus-7 jaw	EZML332225
3-gang 1200A bus-7 jaw	EZML333225
4-gang 1200A bus-7 jaw	EZML334225

Milbank Approved Meter Sockets (pg 1 of 1)

SINGLE POSITION, RING-STYLE, SINGLE PHASE, 4-TERMINAL 3 wire	Catalog Number
125A overhead, underground, no hub, ring-type	U7490-RL-TG
125A overhead, underground, no hub, ring-type	U7490-RL-TG-LR
200A overhead, no hub, ring-type	U7017-RL-TG-M4
200A overhead, no hub, ring-type	U7017-RL-TG
200A overhead, 2" hub, ring-type	U7017-DL-TG-M4
200A overhead, 2" hub, ring-type	U7017-DL-TG-LR
200A underground ring-type	U2671-0
200A underground ring-type	U2671-0-LR
200A overhead, no hub, ring-type	U7017-RL-TG-LR
SINGLE PHASE 3 WIRE 4 TERMINAL	Catalog Number
320A, underground, lever bypass with stud connectors	U1797-O-K3L-K2L-BL
320A, overhead, lever bypass with stud connectors (residential only)	U4433-X-BL
THREE PHASE	Catalog Number
200A, overhead/underground, 7-terminal lever bypass with 350MCM lugs	U9701-RRL-BL
INSTRUMENT RATED 20A overhead	Catalog Number
8-terminal FM5S, 3 wire, 2 CT's	U4990-WL-21
13-terminal FM9S, 4 wire, 3 CT's	U2881-WL-21
GANG METER, SINGLE PHASE, 4-TERMINAL 200A per position	Catalog Number
NES Only Approves Underground 2 position	U3532-X-K1